



ComponentSpace SAML for ASP.NET PingOne Integration Guide

Contents

Introduction	1
Adding a SAML Application	1
Adding a Group/Application Association	6
Service Provider Configuration	7
SP-Initiated SSO.....	8
IdP-Initiated SSO	10
SAML Logout	12

Introduction

This document describes integration with PingOne as the identity provider.

For information on configuring PingOne for SAML SSO, refer to the following article.


<https://documentation.pingidentity.com/pingone/employeeSsoAdminGuide/index.shtml#adminOverview.html>

Adding a SAML Application

Login into PingOne as an administrator.


<https://admin.pingone.com>

Click the Applications > Add Application > New SAML Application.



Specify the application name, description and category. These are for display purposes only.

ComponentSpace SAML for ASP.NET PingOne Integration Guide



The screenshot shows a web browser window with the URL `admin.pingone.com/web-portal/cas/connections`. The page displays a table with the following columns: Application Name, Type, Status, and Enabled. The first row shows a 'New Application' with Type 'SAML', Status 'Incomplete', and Enabled 'No'.

Below the table, the '1. Application Details' section contains the following fields:

- Application Name:** ExampleServiceProvider
- Application Description:** ComponentSpace example service provider (Max 100 characters)
- Category:** Other
- Graphics:** Application Icon (For use on the dock) with a 'Change' button (Max Size: 200px x 200px)

At the bottom of the form, there are two buttons: 'Cancel' and 'Continue to Next Step'. The text 'NEXT: Application Configuration' is visible at the bottom left.

Click Continue to Next Step.

Click the Download link to download the identity provider metadata. This information will be required when configuring the service provider.

Click the Select File button to upload the service provider metadata.

Alternatively, manually enter the SAML configuration settings.

Click Continue to Next Step.


ComponentSpace SAML for ASP.NET PingOne Integration Guide

The screenshot shows the PingOne admin console interface for SAML configuration. At the top, there are two tabs: "I have the SAML configuration" (selected) and "I have the SSO URL". Below the tabs, a message states: "You will need to download this SAML metadata to configure the application:". This is followed by a "Signing Certificate" dropdown menu set to "PingOne Account Origination Certificate" and a "SAML Metadata" link with a "Download" button. A section titled "Provide SAML details about the application you are connecting to:" contains the following fields:

- Protocol Version: SAML v 2.0 SAML v 1.1
- Upload Metadata: Uploaded file: ExampleServiceProvider-Metadata.xml. Includes "Select File" and "Or use URL" options.
- Assertion Consumer Service (ACS): *
- Entity ID: *
- Application URL:
- Single Logout Endpoint: *
- Single Logout Response Endpoint:
- Single Logout Binding Type: Redirect Post
- Primary Verification Certificate: Browse...
- Secondary Verification Certificate: Browse...
- Signing Algorithm:

Optional attribute mappings may be specified.

Click the Save & Publish button.




Review the settings.

Click the SAML Metadata download link to download the identity provider metadata if not already downloaded.


Note the Single Sign-On link. This may be used to initiate SSO from the identity provider.

Click the Finish button.

ComponentSpace SAML for ASP.NET PingOne Integration Guide




The application is now active.



Adding a Group/Application Association

Click Users > User Groups.

Edit the Users group to add the example service provider as an application accessible by members of the group.



Service Provider Configuration

The following partner identity provider configuration is included in the example service provider's SAML configuration.


```
<PartnerIdentityProvider
  Name="https://pingone.com/idp/componentspace"
  Description="PingOne"
  SingleSignOnServiceUrl=
"https://sso.connect.pingidentity.com/sso/idp/SSO.saml2?idpid=7f3aaa28-259c-4b1b-805d-
cd268089403c"
  SingleLogoutServiceUrl="https://sso.connect.pingidentity.com/sso/SLO.saml2">
  <PartnerCertificates>
    <Certificate FileName="Certificates\pingone.cer"/>
  </PartnerCertificates>
</PartnerIdentityProvider>
```

Ensure the PartnerName specifies the correct partner identity provider.

```
<add key="PartnerName" value="https://pingone.com/idp/componentspace"/>
```


SP-Initiated SSO

Browse to the example service provider and click the button to SSO to the identity provider.




Log into PingOne.

ComponentSpace SAML for ASP.NET PingOne Integration Guide



The user is automatically logged in at the service provider.




IdP-Initiated SSO


Log into PingOne.

Click the ExampleServiceProvider button.

ComponentSpace SAML for ASP.NET PingOne Integration Guide



The user is automatically logged in at the service provider.



SAML Logout

PingOne supports SP-initiated SAML logout only.

If logged into a service provider and the user logs out from PingOne, no SAML logout request is sent to the service provider.